



# Všestranné LED osvětlení s nízkými náklady

## ClearWay gen2

Svítlidlo ClearWay gen2 umožňuje začít využívat výhody technologie LED hned od začátku. Nová generace tohoto svítidla vychází z předností svého předchůdce a dále snižuje celkové provozní náklady. Svítidlo ClearWay gen2 výrazně zlepšuje nejdůležitější charakteristiky osvětlení komunikací oproti tradičním světelným zdrojům. Je ideální pro nové ulice i pro modernizaci stávajících instalací. Kombinuje čisté a vysoce kvalitní světlo s výraznými úsporami nákladů na energii a údržbu, a to při výhodné pořizovací ceně. Stručně řečeno, svítidlo ClearWay gen2 přináší kvalitní světlo se všemi dalšími výhodami technologie LED – úsporami energie a dlouhou životností. Jeho konstrukce je navíc tenčí a lehčí, což usnadňuje montáž.

### Výhody

- Všechny výhody v jedné architektuře svítidla
- Snadná montáž
- Nízké počáteční náklady
- Přiměřené celkové provozní náklady
- Každé svítidlo je jedinečně identifikovatelné díky servisnímu štítku Philips

### Vlastnosti

- Jedna flexibilní varianta provedení nabízí různé možnosti podle potřeb aplikace
- Kompaktní a úsporný design
- Možnost nastavení sklonu bez otevření krytu
- Řada ClearWay gen2 je rovněž vybavena speciálními recepty osvětlení, které zachovávají temnou noční oblohu

# ClearWay gen2

## Aplikace

- Městské ulice a komunikace v obytných oblastech
- Stezky pro cyklisty a chodce
- Vedlejší cesty

## Specifikace

<b>Okolní teplota</b>	-40 až +50 °C
<b>Svítilno – divergence svazku</b>	152° - 25° x 66°, 154° - 31° x 54°, 160° - 42° x 54°, 42° x 44°
<b>Hlavní barva svítidla</b>	ALU, gR
<b>Připojení</b>	Pětipólový zasunovací konektor (Pětipólový zasunovací konektor)
<b>Regulace</b>	Ano, ne
<b>Předřadník</b>	Power supply unit with DynaDimmer (PSDD) Power supply unit regulating (PSR) Power supply unit (PSU)
<b>Počáteční účinnost svítidla LED</b>	114, 116, 119, 122, 124, 125, 127, 133, 134, 137, 138, 140, 141, 142, 143, 144, 146, 148, 152 lm/W
<b>Počáteční světelný tok</b>	10200 lm, 10920 lm, 1584 lm, 2175 lm, 2610 lm, 2670 lm, 3080 lm, 3115 lm, 3520 lm, 3560 lm, 3960 lm, 4005 lm, 4698 lm, 4752 lm, 6020 lm, 6160 lm, 6972 lm, 7308 lm, 8600 lm, 9460 lm

<b>Vstupní frekvence</b>	50 až 60 Hz
<b>Vstupní napětí</b>	220 to 240 V
<b>Barva světelného zdroje</b>	740 neutrální bílá
<b>Vyměnitelnost světelného zdroje</b>	Ano
<b>Materiál</b>	Tělo: hliník litý pod tlakem
<b>Optika</b>	No   - Distribution medium, střední rozptyl 11, střední rozptyl 50, velmi široký rozptyl 10
<b>Ochrana proti rázům</b>	Ochrana svítidla proti rázům až 6kV v rozdílovém a až 6kV v běžném režimu, philips standard surge protection level kV
<b>Tělo s úhlem sklonu</b>	Standardní úhel sklonu v případě montáže na vršek sloupku: 0° Standardní úhel sklonu při montáži s bočním vstupem: 0°
<b>Typ</b>	BGP307

## Versions



ClearWay gen2 - LED Module 2500 lm



ClearWay gen2 - LED module 1800 lm

## Application Conditions

Maximální úroveň stmívání	Nerelevantní
---------------------------	--------------

## Approval and Application

Kód ochrany proti mechanickým nárazům	IK08
---------------------------------------	------

## General Information

Značka CE	CE mark
Barva světelného zdroje	740 neutrální bílá
Včetně předřadníku	Ano
Značka hořlavosti	NO
Vyměnitelnost světelného zdroje	Ano
Počet předřadниковých jednotek	1 unit
Kód produktové řady	BGP307

## Initial Performance (IEC Compliant)

Počáteční náhradní teplota chromatičnosti	4000 K
Počáteční index barevného podání	70

## Light Technical

Standardní úhel sklonu při montáži na výložník	0°
Standardní úhel sklonu v případě montáže na vršek sloupku	0°
Poměr světelného toku do horního poloprostoru	0

-

Order Code	Full Product Name	Poruchovost předřadníku po 5000 hod.
98773500	BGP307 LED30/740 I DM 48/60S	0,5 %
98774200	BGP307 LED35/740 I DM 48/60S	0,5 %
98775900	BGP307 LED40/740 I DM 48/60S	0,5 %
98776600	BGP307 LED45/740 I DM 48/60S	0,5 %
98777300	BGP307 LED54/740 I DM 48/60S	0,5 %
98778000	BGP307 LED69/740 I DM 48/60S	0,5 %
98779700	BGP307 LED84/740 I DM 48/60S	0,5 %
98780300	BGP307 LED99/740 I DM 48/60S	0,5 %
98781000	BGP307 LED109/740 I DM 48/60S	0,5 %
98785800	BGP307 LED30/740 II DM 48/60S	0,5 %
98786500	BGP307 LED35/740 II DM 48/60S	0,5 %
98787200	BGP307 LED40/740 II DM 48/60S	0,5 %
98788900	BGP307 LED45/740 II DM 48/60S	0,5 %
98789600	BGP307 LED54/740 II DM 48/60S	0,5 %
98790200	BGP307 LED69/740 II DM 48/60S	0,5 %
98791900	BGP307 LED84/740 II DM 48/60S	0,5 %
98792600	BGP307 LED99/740 II DM 48/60S	0,5 %
98793300	BGP307 LED109/740 II DM 48/60S	0,5 %
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	0,5 %
98795700	BGP307 LED18-4S/740 I DM50 48/60S	0,5 %
98796400	BGP307 LED25-4S/740 I DM50 48/60S	0,5 %
98797100	BGP307 LED30-4S/740 I DM50 48/60S	0,5 %
98798800	BGP307 LED35-4S/740 I DM50 48/60S	0,5 %
98799500	BGP307 LED40-4S/740 I DM50 48/60S	0,5 %
98800800	BGP307 LED45-4S/740 I DM50 48/60S	0,5 %
98801500	BGP307 LED54-4S/740 I DM50 48/60S	0,5 %
98802200	BGP307 LED69-4S/740 I DM50 48/60S	0,5 %
98803900	BGP307 LED84-4S/740 I DM50 48/60S	0,5 %
98804600	BGP307 LED99-4S/740 I DM50 48/60S	0,5 %
98805300	BGP307 LED109-4S/740 I DM50 48/60S	0,5 %
98806000	BGP307 LED120-4S/740 I DM50 48/60S	0,5 %
98697400	BGP307 LED18-4S/740 II DM50 48/60S	0,5 %
98698100	BGP307 LED25-4S/740 II DM50 48/60S	0,5 %
98699800	BGP307 LED30-4S/740 II DM50 48/60S	0,5 %
98700100	BGP307 LED35-4S/740 II DM50 48/60S	0,5 %
98701800	BGP307 LED40-4S/740 II DM50 48/60S	0,5 %
98702500	BGP307 LED45-4S/740 II DM50 48/60A	0,5 %
98703200	BGP307 LED54-4S/740 II DM50 48/60S	0,5 %
98704900	BGP307 LED69-4S/740 II DM50 48/60S	0,5 %
98705600	BGP307 LED84-4S/740 II DM50 48/60S	0,5 %
98706300	BGP307 LED99-4S/740 II DM50 48/60S	0,5 %
98707000	BGP307 LED109-4S/740 II DM50 48/60S	0,5 %
98708700	BGP307 LED120-4S/740 II DM50 48/60S	0,5 %
99632400	BGP307 LED120-4S/740 I DM11 48/76S	0,5 %
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	-

## Approval and Application

Order Code	Full Product Name	Ochrana proti rázům (běžný/ rozdílový režim)
98773500	BGP307 LED30/740 I DM 48/60S	Philips standard surge protection level kV
98774200	BGP307 LED35/740 I DM 48/60S	Philips standard surge protection level kV
98775900	BGP307 LED40/740 I DM 48/60S	Philips standard surge protection level kV
98776600	BGP307 LED45/740 I DM 48/60S	Philips standard surge protection level kV
98777300	BGP307 LED54/740 I DM 48/60S	Philips standard surge protection level kV
98778000	BGP307 LED69/740 I DM 48/60S	Philips standard surge protection level kV
98779700	BGP307 LED84/740 I DM 48/60S	Philips standard surge protection level kV
98780300	BGP307 LED99/740 I DM 48/60S	Philips standard surge protection level kV
98781000	BGP307 LED109/740 I DM 48/60S	Philips standard surge protection level kV
98785800	BGP307 LED30/740 II DM 48/60S	Philips standard surge protection level kV
98786500	BGP307 LED35/740 II DM 48/60S	Philips standard surge protection level kV
98787200	BGP307 LED40/740 II DM 48/60S	Philips standard surge protection level kV
98788900	BGP307 LED45/740 II DM 48/60S	Philips standard surge protection level kV
98789600	BGP307 LED54/740 II DM 48/60S	Philips standard surge protection level kV
98790200	BGP307 LED69/740 II DM 48/60S	Philips standard surge protection level kV
98791900	BGP307 LED84/740 II DM 48/60S	Philips standard surge protection level kV
98792600	BGP307 LED99/740 II DM 48/60S	Philips standard surge protection level kV
98793300	BGP307 LED109/740 II DM 48/60S	Philips standard surge protection level kV
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Ochrana svítidla proti rázům až 6 kV v rozdílovém a až 6 kV v běžném režimu
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Philips standard surge protection level kV

Order Code	Full Product Name	Ochrana proti rázům (běžný/ rozdílový režim)
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Philips standard surge protection level kV
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Philips standard surge protection level kV
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Philips standard surge protection level kV
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Philips standard surge protection level kV
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Philips standard surge protection level kV
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Philips standard surge protection level kV

## Controls and Dimming

Order Code	Full Product Name	Regulovatelné
98773500	BGP307 LED30/740 I DM 48/60S	Ne
98774200	BGP307 LED35/740 I DM 48/60S	Ne
98775900	BGP307 LED40/740 I DM 48/60S	Ne
98776600	BGP307 LED45/740 I DM 48/60S	Ne
98777300	BGP307 LED54/740 I DM 48/60S	Ne
98778000	BGP307 LED69/740 I DM 48/60S	Ne
98779700	BGP307 LED84/740 I DM 48/60S	Ne
98780300	BGP307 LED99/740 I DM 48/60S	Ne
98781000	BGP307 LED109/740 I DM 48/60S	Ne
98785800	BGP307 LED30/740 II DM 48/60S	Ne
98786500	BGP307 LED35/740 II DM 48/60S	Ne
98787200	BGP307 LED40/740 II DM 48/60S	Ne
98788900	BGP307 LED45/740 II DM 48/60S	Ne
98789600	BGP307 LED54/740 II DM 48/60S	Ne
98790200	BGP307 LED69/740 II DM 48/60S	Ne
98791900	BGP307 LED84/740 II DM 48/60S	Ne
98792600	BGP307 LED99/740 II DM 48/60S	Ne
98793300	BGP307 LED109/740 II DM 48/60S	Ne
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Ano
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Ne
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Ne
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Ne
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Ne

Order Code	Full Product Name	Regulovatelné
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Ne
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Ne
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Ne
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Ne
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Ne
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Ne
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Ne
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Ne
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Ne
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Ne
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Ne
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Ne
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Ne
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Ne
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Ne
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Ne
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Ne
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Ne
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Ne
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Ne
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Ne
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Ne

## General Information (1/2)

Order Code	Full Product Name	Typ			
		Divergence světelného paprsku svítidla	optického krytu/ čoček	Kód řady zdroje	Verze světelného zdroje
98773500	BGP307 LED30/740 I DM 48/60S	42° x 44°	FG	LED30	-
98774200	BGP307 LED35/740 I DM 48/60S	42° x 44°	FG	LED35	-
98775900	BGP307 LED40/740 I DM 48/60S	42° x 44°	FG	LED40	-
98776600	BGP307 LED45/740 I DM 48/60S	42° x 44°	FG	LED45	-
98777300	BGP307 LED54/740 I DM 48/60S	42° x 44°	FG	LED54	-
98778000	BGP307 LED69/740 I DM 48/60S	42° x 44°	FG	LED69	-
98779700	BGP307 LED84/740 I DM 48/60S	42° x 44°	FG	LED84	-

Order Code	Full Product Name	Typ			
		Divergence světelného paprsku svítidla	optického krytu/ čoček	Kód řady zdroje	Verze světelného zdroje
98780300	BGP307 LED99/740 I DM 48/60S	42° x 44°	FG	LED99	-
98781000	BGP307 LED109/740 I DM 48/60S	42° x 44°	-	LED109	-
98785800	BGP307 LED30/740 II DM 48/60S	42° x 44°	FG	LED30	-
98786500	BGP307 LED35/740 II DM 48/60S	42° x 44°	FG	LED35	-
98787200	BGP307 LED40/740 II DM 48/60S	42° x 44°	FG	LED40	-
98788900	BGP307 LED45/740 II DM 48/60S	42° x 44°	FG	LED45	-
98789600	BGP307 LED54/740 II DM 48/60S	42° x 44°	FG	LED54	-

Order Code	Full Product Name	Divergence světelného paprsku svítidla	Typ optického krytu/ čoček	Kód řady zdroje	Verze světelného zdroje
98790200	BGP307 LED69/740 II DM 48/60S	42° x 44°	FG	LED69	-
98791900	BGP307 LED84/740 II DM 48/60S	42° x 44°	FG	LED84	-
98792600	BGP307 LED99/740 II DM 48/60S	42° x 44°	FG	LED99	-
98793300	BGP307 LED109/740 II DM 48/60S	42° x 44°	-	LED109	-
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	160° - 42° x 54°	FG	LED130	4S
98795700	BGP307 LED18-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED18	-
98796400	BGP307 LED25-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED25	-
98797100	BGP307 LED30-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED30	-
98798800	BGP307 LED35-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED35	-
98799500	BGP307 LED40-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED40	-
98800800	BGP307 LED45-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED45	-
98801500	BGP307 LED54-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED54	-
98802200	BGP307 LED69-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED69	-
98803900	BGP307 LED84-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED84	-
98804600	BGP307 LED99-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED99	-
98805300	BGP307 LED109-4S/740 I DM50 48/60S	154° - 31° x 54°	-	LED109	-

Order Code	Full Product Name	Divergence světelného paprsku svítidla	Typ optického krytu/ čoček	Kód řady zdroje	Verze světelného zdroje
98806000	BGP307 LED120-4S/740 I DM50 48/60S	154° - 31° x 54°	FG	LED120	-
98697400	BGP307 LED18-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED18	-
98698100	BGP307 LED25-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED25	-
98699800	BGP307 LED30-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED30	-
98700100	BGP307 LED35-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED35	-
98701800	BGP307 LED40-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED40	4S
98702500	BGP307 LED45-4S/740 II DM50 48/60A	154° - 31° x 54°	FG	LED45	-
98703200	BGP307 LED54-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED54	-
98704900	BGP307 LED69-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED69	-
98705600	BGP307 LED84-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED84	-
98706300	BGP307 LED99-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED99	-
98707000	BGP307 LED109-4S/740 II DM50 48/60S	154° - 31° x 54°	-	LED109	-
98708700	BGP307 LED120-4S/740 II DM50 48/60S	154° - 31° x 54°	FG	LED120	-
99632400	BGP307 LED120-4S/740 I DM11 48/76S	160° - 42° x 54°	FG	LED120	-
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	152° - 25° x 66°	FG	LED84	-

## General Information (2/2)

Order Code	Full Product Name	Typ optiky	Optický prvek
98773500	BGP307 LED30/740 I DM 48/60S	Distribution medium	-
98774200	BGP307 LED35/740 I DM 48/60S	Distribution medium	-
98775900	BGP307 LED40/740 I DM 48/60S	Distribution medium	-
98776600	BGP307 LED45/740 I DM 48/60S	Distribution medium	-
98777300	BGP307 LED54/740 I DM 48/60S	Distribution medium	-
98778000	BGP307 LED69/740 I DM 48/60S	Distribution medium	-
98779700	BGP307 LED84/740 I DM 48/60S	Distribution medium	-
98780300	BGP307 LED99/740 I DM 48/60S	Distribution medium	-
98781000	BGP307 LED109/740 I DM 48/60S	Distribution medium	No
98785800	BGP307 LED30/740 II DM 48/60S	Distribution medium	-
98786500	BGP307 LED35/740 II DM 48/60S	Distribution medium	-
98787200	BGP307 LED40/740 II DM 48/60S	Distribution medium	-
98788900	BGP307 LED45/740 II DM 48/60S	Distribution medium	-
98789600	BGP307 LED54/740 II DM 48/60S	Distribution medium	-
98790200	BGP307 LED69/740 II DM 48/60S	Distribution medium	-
98791900	BGP307 LED84/740 II DM 48/60S	Distribution medium	-
98792600	BGP307 LED99/740 II DM 48/60S	Distribution medium	-
98793300	BGP307 LED109/740 II DM 48/60S	Distribution medium	VD
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	Střední rozptyl 11	-
98795700	BGP307 LED18-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98796400	BGP307 LED25-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98797100	BGP307 LED30-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98798800	BGP307 LED35-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98799500	BGP307 LED40-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98800800	BGP307 LED45-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98801500	BGP307 LED54-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98802200	BGP307 LED69-4S/740 I DM50 48/60S	Střední rozptyl 50	-

Order Code	Full Product Name	Typ optiky	Optický prvek
98803900	BGP307 LED84-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98804600	BGP307 LED99-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98805300	BGP307 LED109-4S/740 I DM50 48/60S	Střední rozptyl 50	DF
98806000	BGP307 LED120-4S/740 I DM50 48/60S	Střední rozptyl 50	-
98697400	BGP307 LED18-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98698100	BGP307 LED25-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98699800	BGP307 LED30-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98700100	BGP307 LED35-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98701800	BGP307 LED40-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98702500	BGP307 LED45-4S/740 II DM50 48/60A	Střední rozptyl 50	-
98703200	BGP307 LED54-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98704900	BGP307 LED69-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98705600	BGP307 LED84-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98706300	BGP307 LED99-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98707000	BGP307 LED109-4S/740 II DM50 48/60S	Střední rozptyl 50	-
98708700	BGP307 LED120-4S/740 II DM50 48/60S	Střední rozptyl 50	-
99632400	BGP307 LED120-4S/740 I DM11 48/76S	Střední rozptyl 11	DIA
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	Velmi široký rozptyl 10	-

## Initial Performance (IEC Compliant)

Order Code	Full Product Name	Počáteční světelný tok
98773500	BGP307 LED30/740 I DM 48/60S	2670 lm
98774200	BGP307 LED35/740 I DM 48/60S	3115 lm
98775900	BGP307 LED40/740 I DM 48/60S	3560 lm
98776600	BGP307 LED45/740 I DM 48/60S	4005 lm
98777300	BGP307 LED54/740 I DM 48/60S	4752 lm
98778000	BGP307 LED69/740 I DM 48/60S	6020 lm
98779700	BGP307 LED84/740 I DM 48/60S	7308 lm
98780300	BGP307 LED99/740 I DM 48/60S	8600 lm
98781000	BGP307 LED109/740 I DM 48/60S	9460 lm
98785800	BGP307 LED30/740 II DM 48/60S	2670 lm
98786500	BGP307 LED35/740 II DM 48/60S	3115 lm

Order Code	Full Product Name	Počáteční světelný tok
98787200	BGP307 LED40/740 II DM 48/60S	3560 lm
98788900	BGP307 LED45/740 II DM 48/60S	4005 lm
98789600	BGP307 LED54/740 II DM 48/60S	4752 lm
98790200	BGP307 LED69/740 II DM 48/60S	6020 lm
98791900	BGP307 LED84/740 II DM 48/60S	7308 lm
98792600	BGP307 LED99/740 II DM 48/60S	8600 lm
98793300	BGP307 LED109/740 II DM 48/60S	9460 lm
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	10920 lm
98795700	BGP307 LED18-4S/740 I DM50 48/60S	1584 lm
98796400	BGP307 LED25-4S/740 I DM50 48/60S	2175 lm
98797100	BGP307 LED30-4S/740 I DM50 48/60S	2610 lm

Order Code	Full Product Name	Počáteční světelný tok
98798800	BGP307 LED35-4S/740 I DM50 48/60S	3080 lm
98799500	BGP307 LED40-4S/740 I DM50 48/60S	3520 lm
98800800	BGP307 LED45-4S/740 I DM50 48/60S	3960 lm
98801500	BGP307 LED54-4S/740 I DM50 48/60S	4698 lm
98802200	BGP307 LED69-4S/740 I DM50 48/60S	6160 lm
98803900	BGP307 LED84-4S/740 I DM50 48/60S	7308 lm
98804600	BGP307 LED99-4S/740 I DM50 48/60S	8600 lm
98805300	BGP307 LED109-4S/740 I DM50 48/60S	9460 lm
98806000	BGP307 LED120-4S/740 I DM50 48/60S	10200 lm
98697400	BGP307 LED18-4S/740 II DM50 48/60S	1584 lm
98698100	BGP307 LED25-4S/740 II DM50 48/60S	2175 lm
98699800	BGP307 LED30-4S/740 II DM50 48/60S	2610 lm

Order Code	Full Product Name	Počáteční světelný tok
98700100	BGP307 LED35-4S/740 II DM50 48/60S	3080 lm
98701800	BGP307 LED40-4S/740 II DM50 48/60S	3520 lm
98702500	BGP307 LED45-4S/740 II DM50 48/60A	3960 lm
98703200	BGP307 LED54-4S/740 II DM50 48/60S	4698 lm
98704900	BGP307 LED69-4S/740 II DM50 48/60S	6160 lm
98705600	BGP307 LED84-4S/740 II DM50 48/60S	7308 lm
98706300	BGP307 LED99-4S/740 II DM50 48/60S	8600 lm
98707000	BGP307 LED109-4S/740 II DM50 48/60S	9460 lm
98708700	BGP307 LED120-4S/740 II DM50 48/60S	10200 lm
99632400	BGP307 LED120-4S/740 I DM11 48/76S	10200 lm
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	6972 lm

## Mechanical and Housing

Order Code	Full Product Name	Barva
98773500	BGP307 LED30/740 I DM 48/60S	GR
98774200	BGP307 LED35/740 I DM 48/60S	GR
98775900	BGP307 LED40/740 I DM 48/60S	GR
98776600	BGP307 LED45/740 I DM 48/60S	GR
98777300	BGP307 LED54/740 I DM 48/60S	GR
98778000	BGP307 LED69/740 I DM 48/60S	GR
98779700	BGP307 LED84/740 I DM 48/60S	GR
98780300	BGP307 LED99/740 I DM 48/60S	GR
98781000	BGP307 LED109/740 I DM 48/60S	GR
98785800	BGP307 LED30/740 II DM 48/60S	GR
98786500	BGP307 LED35/740 II DM 48/60S	GR
98787200	BGP307 LED40/740 II DM 48/60S	GR
98788900	BGP307 LED45/740 II DM 48/60S	GR
98789600	BGP307 LED54/740 II DM 48/60S	GR
98790200	BGP307 LED69/740 II DM 48/60S	GR
98791900	BGP307 LED84/740 II DM 48/60S	GR
98792600	BGP307 LED99/740 II DM 48/60S	GR
98793300	BGP307 LED109/740 II DM 48/60S	GR
44818900	BGP307 LED130-4S/740 I DM11 DDF2 D18 48/	ALU
98795700	BGP307 LED18-4S/740 I DM50 48/60S	GR
98796400	BGP307 LED25-4S/740 I DM50 48/60S	GR
98797100	BGP307 LED30-4S/740 I DM50 48/60S	GR
98798800	BGP307 LED35-4S/740 I DM50 48/60S	GR

Order Code	Full Product Name	Barva
98799500	BGP307 LED40-4S/740 I DM50 48/60S	GR
98800800	BGP307 LED45-4S/740 I DM50 48/60S	GR
98801500	BGP307 LED54-4S/740 I DM50 48/60S	GR
98802200	BGP307 LED69-4S/740 I DM50 48/60S	GR
98803900	BGP307 LED84-4S/740 I DM50 48/60S	GR
98804600	BGP307 LED99-4S/740 I DM50 48/60S	GR
98805300	BGP307 LED109-4S/740 I DM50 48/60S	GR
98806000	BGP307 LED120-4S/740 I DM50 48/60S	GR
98697400	BGP307 LED18-4S/740 II DM50 48/60S	GR
98698100	BGP307 LED25-4S/740 II DM50 48/60S	GR
98699800	BGP307 LED30-4S/740 II DM50 48/60S	GR
98700100	BGP307 LED35-4S/740 II DM50 48/60S	GR
98701800	BGP307 LED40-4S/740 II DM50 48/60S	GR
98702500	BGP307 LED45-4S/740 II DM50 48/60A	GR
98703200	BGP307 LED54-4S/740 II DM50 48/60S	GR
98704900	BGP307 LED69-4S/740 II DM50 48/60S	GR
98705600	BGP307 LED84-4S/740 II DM50 48/60S	GR
98706300	BGP307 LED99-4S/740 II DM50 48/60S	GR
98707000	BGP307 LED109-4S/740 II DM50 48/60S	GR
98708700	BGP307 LED120-4S/740 II DM50 48/60S	GR
99632400	BGP307 LED120-4S/740 I DM11 48/76S	GR
11999400	BGP307 LED84-4S/740 II DX10 BL1 D11 48/7	GR

