



产品认证证书

证书编号: CQC19010218994

申请人名称及地址

昕诺飞(中国)投资有限公司
上海市闵行区田林路 888 弄 9 号楼

制造商名称及地址

昕诺飞(中国)投资有限公司
上海市闵行区田林路 888 弄 9 号楼

生产企业名称及地址



产品名称和系列、规格、型号

普通照明 LED 模块(内装式, tc: 85°C, RG1)

见附件。

产品标准和技术要求

GB19510.1-2009; GB24819-2009; IEC/TR62778-2014

认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC12-465393-2016 认证规则的要求, 特发此证。

发证日期: 2019 年 05 月 16 日

本证书的有效性依据发证机构的定期监督获得保持。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



PRODUCT CERTIFICATE

CERTIFICATE NO.: CQC19010218994

NAME AND ADDRESS OF THE APPLICANT

Signify (China) Investment Co., Ltd.
Building no.9, Lane 888, Tianlin Road, Minhang District, Shanghai 200233, China

NAME AND ADDRESS OF THE MANUFACTURER

Signify (China) Investment Co., Ltd.
Building no.9, Lane 888, Tianlin Road, Minhang District, Shanghai 200233, China

NAME AND ADDRESS OF THE FACTORY



PRODUCT NAME, MODEL AND SPECIFICATION

LED Modules For General Lighting (Built-in, tc: 85°C, RG1)
See Appendix.

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB19510.1-2009;GB24819-2009;IEC/TR62778-2014

TYPE OF CERTIFICATION SCHEMES

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC12-465393-2016 .

Valid from: May.16,2019

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body.

President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China
<http://www.cqc.com.cn>



产品认证证书

附 录

证书编号: CQC19010218994

第 1 页 共 5 页

纸 号: 146086

型号	输入电压	电流 (mA/m)	功率 (W/m)	LED 颗粒数 (颗/m)	相关色温 (K)
Fortimo LEDFlex 50m 1000lm/m 840 C10 G1	DC 24V	275	6.6	70	4000
Fortimo LEDFlex 5m 1000lm/m 840 C10 G1	DC 24V	275	6.6	70	4000
Fortimo LEDFlex 5m 1000lm/m 865 C10 G1	DC 24V	275	6.6	70	6500
Fortimo LEDFlex 50m 1000lm/m 830 C10 G1	DC 24V	296	7.1	70	3000
Fortimo LEDFlex 5m 1000lm/m 830 C10 G1	DC 24V	296	7.1	70	3000
Fortimo LEDFlex 5m 1000lm/m 827 C10 G1	DC 24V	309	7.4	70	2700
Fortimo LEDFlex 50m 1500lm/m 840 C10 G1	DC 24V	417	10.0	70	4000
Fortimo LEDFlex 5m 1500lm/m 840 C10 G1	DC 24V	417	10.0	70	4000
Fortimo LEDFlex 5m 1500lm/m 865 C10 G1	DC 24V	417	10.0	70	6500
Fortimo LEDFlex 50m 1500lm/m 830 C10 G1	DC 24V	455	10.9	70	3000
Fortimo LEDFlex 5m 1500lm/m 830 C10 G1	DC 24V	455	10.9	70	3000

注: 此附录与证书同时使用时有效。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

第 2 页 共 5 页

证书编号: CQC19010218994

纸 号: 146086

型号	输入电压	电流 (mA/m)	功率 (W/m)	LED 颗粒数 (颗/m)	相关色温 (K)
Fortimo LEDFlex 5m 1500lm/m 827 C10 G1	DC 24V	467	11.2	70	2700
Fortimo LEDFlex 50m 2000lm/m 840 C10 G1	DC 24V	577	13.8	70	4000
Fortimo LEDFlex 5m 2000lm/m 840 C10 G1	DC 24V	577	13.8	70	4000
Fortimo LEDFlex 5m 2000lm/m 865 C10 G1	DC 24V	577	13.8	70	6500
Fortimo LEDFlex 50m 2000lm/m 830 C10 G1	DC 24V	620	14.9	70	3000
Fortimo LEDFlex 5m 2000lm/m 830 C10 G1	DC 24V	620	14.9	70	3000
Fortimo LEDFlex 5m 2000lm/m 827 C10 G1	DC 24V	651	15.6	70	2700
Fortimo LEDFlex 50m 2500lm/m 840 C10 G1	DC 24V	734	17.6	70	4000
Fortimo LEDFlex 5m 2500lm/m 840 C10 G1	DC 24V	734	17.6	70	4000
Fortimo LEDFlex 5m 2500lm/m 865 C10 G1	DC 24V	734	17.6	70	6500
Fortimo LEDFlex 50m 2500lm/m 830 C10 G1	DC 24V	789	18.9	70	3000

注: 此附录与证书同时使用时有效。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

证书编号: CQC19010218994

第 3 页 共 5 页

纸 号: 146086

型号	输入电压	电流 (mA/m)	功率 (W/m)	LED 颗粒数 (颗/m)	相关色温 (K)
Fortimo LEDFlex 5m 2500lm/m 830 C10 G1	DC 24V	789	18.9	70	3000
Fortimo LEDFlex 5m 2500lm/m 827 C10 G1	DC 24V	828	19.9	70	2700
Fortimo LEDFlex 50m 1000lm/m 940PW C5 G1	DC 24V	316	7.6	140	4000
Fortimo LEDFlex 5m 1000lm/m 940PW C5 G1	DC 24V	316	7.6	140	4000
Fortimo LEDFlex 5m 1000lm/m 965 C5 G1	DC 24V	316	7.6	140	6500
Fortimo LEDFlex 50m 1000lm/m 930PW C5 G1	DC 24V	340	8.2	140	3000
Fortimo LEDFlex 5m 1000lm/m 930PW C5 G1	DC 24V	340	8.2	140	3000
Fortimo LEDFlex 5m 1000lm/m 927 C5 G1	DC 24V	358	8.6	140	2700
Fortimo LEDFlex 50m 1500lm/m 940PW C5 G1	DC 24V	490	11.8	140	4000
Fortimo LEDFlex 5m 1500lm/m 940PW C5 G1	DC 24V	490	11.8	140	4000
Fortimo LEDFlex 5m 1500lm/m 965 C5 G1	DC 24V	490	11.8	140	6500

注: 此附录与证书同时使用时有效。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

证书编号: CQC19010218994

第 4 页 共 5 页

纸 号: 146086

型号	输入电压	电流 (mA/m)	功率 (W/m)	LED 颗粒数 (颗/m)	相关色温 (K)
Fortimo LEDFlex 50m 1500lm/m 930PW C5 G1	DC 24V	524	12.6	140	3000
Fortimo LEDFlex 5m 1500lm/m 930PW C5 G1	DC 24V	524	12.6	140	3000
Fortimo LEDFlex 5m 1500lm/m 927 C5 G1	DC 24V	550	13.2	140	2700
Fortimo LEDFlex 50m 2000lm/m 940PW C5 G1	DC 24V	666	16.0	140	4000
Fortimo LEDFlex 5m 2000lm/m 940PW C5 G1	DC 24V	666	16.0	140	4000
Fortimo LEDFlex 5m 2000lm/m 965 C5 G1	DC 24V	666	16.0	140	6500
Fortimo LEDFlex 50m 2000lm/m 930PW C5 G1	DC 24V	714	17.1	140	3000
Fortimo LEDFlex 5m 2000lm/m 930PW C5 G1	DC 24V	714	17.1	140	3000
Fortimo LEDFlex 5m 2000lm/m 927 C5 G1	DC 24V	752	18.0	140	2700
Fortimo LEDFlex 50m 2500lm/m 940PW C5 G1	DC 24V	834	20.0	140	4000
Fortimo LEDFlex 5m 2500lm/m 940PW C5 G1	DC 24V	834	20.0	140	4000

注: 此附录与证书同时使用时有效。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



产品认证证书

附 录

证书编号: CQC19010218994

第 5 页 共 5 页

纸 号: 146086

型号	输入电压	电流 (mA/m)	功率 (W/m)	LED 颗粒数 (颗/m)	相关色温 (K)
Fortimo LEDFlex 5m 2500lm/m 965 C5 G1	DC 24V	834	20.0	140	6500
Fortimo LEDFlex 50m 2500lm/m 930PW C5 G1	DC 24V	884	21.2	140	3000
Fortimo LEDFlex 5m 2500lm/m 930PW C5 G1	DC 24V	884	21.2	140	3000
Fortimo LEDFlex 5m 2500lm/m 927 C5 G1	DC 24V	936	22.5	140	2700

注: 此附录与证书同时使用时有效。

主任:

陆梅



中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>